

SEQUENCE LISTING

5 <110> Bristol-Myers Squibb Pharma Company;
 Priestly, et al.
 <120> Novel Lactam Inhibitors of Hepatitis C Virus
 NS3 Protease
 10 <130> PH-7087-A
 <150> US 09/626,286
 <151> 2000-07-25
 15 <160> 8
 <170> PatentIn version 3.1
 20 <210> 1
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 25 <220>
 <223> The synthesis of this peptide may be performed on an
 ABI 43A peptide synthesizer using readily available
 materials well known to ordinarily skilled artisans
 30 <220>
 <221> ACT_SITE
 <222> (1)..(1)
 <223>
 35 <220>
 <221> misc_feature
 <222> (3)..(3)
 <223> diphenylalanine
 40 <220>
 <221> misc_feature
 <222> (5)..(5)
 <223> cyclohexylalanine
 <400> 1
 45 Asp Glu Xaa Glu Xaa Cys
 1 5
 50 <210> 2
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 <220>

<223> The synthesis of this peptide may be performed on an
 ABI 43A peptide synthesizer using readily available
 materials well known to ordinarily skilled artisans

5 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> Acetylation

10 <220>
 <221> misc_feature
 <222> (2)..(2)
 <223> D-Aspartic Acid

15 <400> 2
 Asp Xaa Ile Val Pro Cys
 1 5

20 <210> 3
 <211> 5
 25 <212> PRT
 <213> Artificial Sequence

30 <220>
 <223> The synthesis of this peptide may be performed on an
 ABI 43A peptide synthesizer using readily available
 materials well known to ordinarily skilled artisans

35 <400> 3
 Met Gly Ala Gln His
 1 5

40 <210> 4
 <211> 15
 <212> PRT
 <213> Artificial Sequence

45 <220>
 <223> The synthesis of this peptide may be performed on an
 ABI 43A peptide synthesizer using readily available
 materials well known to ordinarily skilled artisans

50 <400> 4
 Met Arg Gly Ser His His His His His His Met Gly Ala Gln His
 1 5 10 15

55 <210> 5

```

    <211> 6
    <212> PRT
    <213> Artificial

5  <220>
    <221> misc_feature
    <222> (6)..(6)
    <223> 2-amino-4-penten-boronic acid

10
    <400> 5

    Asp Glu Val Val Pro Xaa
    1                      5

15

    <210> 6
    <211> 5
    <212> PRT
    <213> Artificial Sequence

    <220>
    <223> The synthesis of this peptide may be performed on an
25    ABI 43A peptide synthesizer using readily available
        materials well known to ordinarily skilled artisans

    <220>
    <221> ACETYLATION
    <222> (1)..(1)
    <223> Acetylation

30

    <220>
    <221> AMIDATION
    <222> (5)..(5)
    <223> para-nitroaniline

35

    <400> 6

    Asp Glu Glu Ala Cys
    1                      5

45

    <210> 7
    <211> 23
    <212> PRT
    <213> Artificial Sequence

    <220>
    <223> The synthesis of this peptide may be performed on an
50    ABI 43A peptide synthesizer using readily available
        materials well known to ordinarily skilled artisans

55

```

```

<400> 7
5  Lys Lys Gly Ser Val Val Ile Val Gly Arg Ile Val Leu Ser Gly
   1          5          10          15

Lys Pro Ala Ile Ile Pro Lys Lys
10          20

<210> 8
<211> 9
15 <212> PRT
   <213> Artificial

<220>
20 <221> ACETYLATION
   <222> (1)..(1)
   <223> acetyl group

<220>
25 <221> MOD_RES
   <222> (3)..(3)
   <223> Aspartic acid modified with EDANS, 5-[(2'-
        aminoethyl)amino]naphthylene sulfonic acid

30 <220>
   <221> MISC_FEATURE
   <222> (6)..(6)
   <223> 2 amino butyric acid bonded through an ester group
35

<220>
<221> MOD_RES
<222> (9)..(9)
40 <223> Lysine modified by Dabcyl;
        4-[[4'dimethylamino)phenyl]azo]benzoic acid

<400> 8
45 Asp Glu Asp Glu Glu Ala Xaa Ala Ser Lys
   1          5          10

```